

# 1. NCPDP VERSION D CLAIM BILLING/CLAIM REBILL

## 1.1 REQUEST CLAIM BILLING/CLAIM REBILL PAYER SHEET

**\*\* Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet \*\***

### GENERAL INFORMATION

Payer Name: State of South Dakota	Date: 2/21/2014	
Plan Name/Group Name: Medicaid	BIN: 601574	PCN:
Plan Name/Group Name:	BIN:	PCN:
Plan Name/Group Name:	BIN:	PCN:
Plan Name/Group Name:	BIN:	PCN:
Processor: Sate of South Dakota		
Effective as of: 4/1/2014	NCPDP Telecommunication Standard Version/Release #: D.0	
NCPDP Data Dictionary Version Date: June 2010	NCPDP External Code List Version Date: June 2010	
Contact/Information Source: Mike Jockheck		
Certification Testing Window: n/a		
Certification Contact Information: n/a		
Provider Relations Help Desk Info: In-state 800-452-7691, Out-of-State 605-945-5006		
Other versions supported: NCPDP Telecommunications Standard Version/Release # 5.1		

### OTHER TRANSACTIONS SUPPORTED

**Payer:** Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name

### FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

### CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.0.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is Not used		

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Billing/Claim Rebill Payer Situation
101-A1	BIN NUMBER	601574	M	
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1, B3	M	
104-A4	PROCESSOR CONTROL NUMBER		M	
109-A9	TRANSACTION COUNT	Max # 4	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Blanks, 01	M	

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
201-B1	SERVICE PROVIDER ID		M	Must be enrolled with Medicaid
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Insurance Segment Segment Identification (111-AM) = "04"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	Medicaid ID
312-CC	CARDHOLDER FIRST NAME		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs when the cardholder has a first name.  Payer Requirement: When Patient First Name (Field 310-CA) not submitted and must Match First Name listed on Medicaid ID Card
313-CD	CARDHOLDER LAST NAME		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs.  Payer Requirement: When Patient Last Name (Field 311-CB) not submitted and must Match Last Name listed on Medicaid ID Card
115-N5	MEDICAID ID NUMBER		M	Imp Guide: Required, if known, when patient has Medicaid coverage.  Payer Requirement:

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Y	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "01"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
331-CX	PATIENT ID QUALIFIER			Imp Guide: Required if Patient ID (332-CY) is used.  Payer Requirement:
332-CY	PATIENT ID		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs to validate dual eligibility.  Payer Requirement: When Medicaid ID Number (Field 115-N5) not submitted and must be Medicaid ID Number as listed on Medicaid ID card.
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	
310-CA	PATIENT FIRST NAME		R	Imp Guide: Required when the patient has a first

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
				name.  Payer Requirement: Must Match First Name listed on Medicaid ID Card
311-CB	PATIENT LAST NAME		R	Payer Requirement: Must Match Last Name listed on Medicaid ID Card

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills	Y	
This payer does not support partial fills		

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	Ø1 = Rx Billing	M	Imp Guide: For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER		M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER		RW	Imp Guide: Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)).  Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.  Payer Requirement: Must other than zeros
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE		RW	Imp Guide: Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)).  Required if Associated Prescription/Service Reference Number (456-EN) is used.  Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.  Payer Requirement: Must be a date in the past and can not be the same date as the Date Of Service (401-D1) for this billing
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE		R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
308-C8	OTHER COVERAGE CODE		RW	Payer Requirement: When patient has Other Coverage then appropriate code must be submitted.
429-DT	SPECIAL PACKAGING INDICATOR			Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.  Payer Requirement:
6ØØ-28	UNIT OF MEASURE			Imp Guide: Required if necessary for state/federal/regulatory agency programs.

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required if this field could result in different coverage, pricing, or patient financial responsibility.  <i>Payer Requirement:</i>
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.  <i>Payer Requirement:</i> When NDC requires prior authorization, then must be Prior Authorization number issued by Medicaid.
343-HD	DISPENSING STATUS		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.  <i>Payer Requirement:</i>
344-HF	QUANTITY INTENDED TO BE DISPENSED		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.  <i>Payer Requirement:</i> Must be greater than zeros
345-HG	DAYS SUPPLY INTENDED TO BE DISPENSED		RW	<i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.  <i>Payer Requirement:</i> Must be greater then zeros

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.  <i>Payer Requirement:</i>
426-DQ	USUAL AND CUSTOMARY CHARGE		R	<i>Imp Guide:</i> Required if needed per trading partner agreement.  <i>Payer Requirement:</i>
43Ø-DU	GROSS AMOUNT DUE		R	

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Y	
This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	'05', '12'	R	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used.  <i>Payer Requirement:</i> Must bill with code '05' - Medicaid or '12' - Drug Enforcement

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Administration Number
411-DB	PRESCRIBER ID		R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility.  Required if necessary for state/federal/regulatory agency programs.  <i>Payer Requirement:</i> Must bill Medicaid Provider Number, Drug Enforcement Administration Number.
427-DR	PRESCRIBER LAST NAME		RW	<i>Imp Guide:</i> Required when the Prescriber ID (411-DB) is not known.  Required if needed for Prescriber ID (411-DB) validation/clarification.  <i>Payer Requirement:</i>
468-2E	PRIMARY CARE PROVIDER ID QUALIFIER	'05'	RW	Payer Requirement: When patient is on Lockin then must bill with code '05' Medicaid Provider Number
421-DL	PRIMARY CARE PROVIDER ID		RW	Payer Requirement: When patient is on Lockin then must bill with Medicaid Provider Number

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 1 - Other Payer Amount Paid Repetitions Only		
Scenario 2 - Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only		
Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section [Coordination of Benefits \(COB\) Processing](#) for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill
				Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
443-E8	OTHER PAYER DATE		R	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.  <i>Payer Requirement:</i>
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid Qualifier (342-HC) is used.  <i>Payer Requirement:</i>
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid (431-DV) is used.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill Scenario 3 - Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<i>Payer Requirement:</i>
431-DV	OTHER PAYER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if other payer has approved payment for some/all of the billing.  Not used for patient financial responsibility only billing.  Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted.  <i>Payer Requirement:</i>
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used.  <i>Payer Requirement:</i>
472-6E	OTHER PAYER REJECT CODE		RW	<i>Imp Guide:</i> Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered).  <i>Payer Requirement:</i>
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used.  <i>Payer Requirement:</i>
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount (352-NQ) is used.  <i>Payer Requirement:</i>
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	<i>Imp Guide:</i> Required if necessary for patient financial responsibility only billing.  Required if necessary for state/federal/regulatory agency programs.  Not used for non-governmental agency programs if Other Payer Amount Paid (431-DV) is submitted.  <i>Payer Requirement:</i>

DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when DUR/PPS is found by Dispensing Provider or when Dispensing Provider is overriding a DUR/PPS denial from Medicaid

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	M	<i>Imp Guide:</i> Required if DUR/PPS Segment is used.  <i>Payer Requirement:</i>
439-E4	REASON FOR SERVICE CODE		M	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				outcome.  Required if this field affects payment for or documentation of professional pharmacy service.  <i>Payer Requirement:</i>
44Ø-E5	PROFESSIONAL SERVICE CODE		M	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.  Required if this field affects payment for or documentation of professional pharmacy service.  <i>Payer Requirement:</i>
441-E6	RESULT OF SERVICE CODE		M	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.  Required if this field affects payment for or documentation of professional pharmacy service.  <i>Payer Requirement:</i>

Coupon Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required for Manufacturer Coupon

	Coupon Segment Segment Identification (111-AM) = "Ø9"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
485-KE	COUPON TYPE		M	
486-ME	COUPON NUMBER		M	
487-NE	COUPON VALUE AMOUNT			<i>Imp Guide:</i> Required if needed for receiver claim/encounter determination when a coupon value is known.  Required if this field could result in different pricing and/or patient financial responsibility.  <i>Payer Requirement:</i>

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required if billing is for Compounded Drug

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER		M	
489-TE	COMPOUND PRODUCT ID		M	

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		M	Imp Guide: Required if needed for receiver claim determination when multiple products are billed.  Payer Requirement:

**\*\* End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet \*\***

## 1.2 RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

### 1.2.1 CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

**\*\* Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet \*\***

#### GENERAL INFORMATION

Payer Name: State of South Dakota	Date: 10/17/2011	
Plan Name/Group Name: Medicaid	BIN: 601574	PCN:
Plan Name/Group Name:	BIN:	PCN:
Plan Name/Group Name:	BIN:	PCN:

#### CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
5Ø3-F3	AUTHORIZATION NUMBER		M	Imp Guide: Required if needed to identify the transaction.  Payer Requirement:



	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.  <i>Payer Requirement:</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.  <i>Payer Requirement:</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		M	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.  <i>Payer Requirement:</i>
550-8F	HELP DESK PHONE NUMBER		M	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.  <i>Payer Requirement:</i>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID			<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.  <i>Payer Requirement:</i>
509-F9	TOTAL AMOUNT PAID		R	
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Payer Requirement:</i> When Other Payer Amount Paid (Field 431-DV) is reported

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		R	<i>Imp Guide:</i> Required if Ingredient Cost Paid (506-F6) is greater than zero (Ø).  Required if Basis of Cost Determination (432-DN) is submitted on billing.  <i>Payer Requirement:</i>
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes copay as patient financial responsibility.  <i>Payer Requirement:</i>
346-HH	BASIS OF CALCULATION—DISPENSING FEE		R	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).  <i>Payer Requirement:</i>
347-HJ	BASIS OF CALCULATION—COPAY		RW	<i>Imp Guide:</i> Required if Dispensing Status (343-HD) on submission is "P" (Partial Fill) or "C" (Completion of Partial Fill).  <i>Payer Requirement:</i>

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Required when DUR/PPS conditions found by Medicaid

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	M	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.  <i>Payer Requirement:</i>
439-E4	REASON FOR SERVICE CODE		M	<i>Imp Guide:</i> Required if utilization conflict is detected.  <i>Payer Requirement:</i>
529-FT	OTHER PHARMACY INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
530-FU	PREVIOUS DATE OF FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Quantity of Previous Fill (531-FV) is used.  <i>Payer Requirement:</i>
531-FV	QUANTITY OF PREVIOUS FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Previous Date Of Fill (530-FU) is used.  <i>Payer Requirement:</i>

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
532-FW	DATABASE INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
533-FX	OTHER PRESCRIBER INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>

## 1.2.2 CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

### CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		M	<i>Imp Guide:</i> Required if needed to identify the transaction.  <i>Payer Requirement:</i>
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.  <i>Payer Requirement:</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.  <i>Payer Requirement:</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.  <i>Payer Requirement:</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		M	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.  <i>Payer Requirement:</i>
550-8F	HELP DESK PHONE NUMBER		M	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.  <i>Payer Requirement:</i>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when DUR/PPS conditions found by Medicaid

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	M	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.  <i>Payer Requirement:</i>
439-E4	REASON FOR SERVICE CODE		M	<i>Imp Guide:</i> Required if utilization conflict is detected.  <i>Payer Requirement:</i>
529-FT	OTHER PHARMACY INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
530-FU	PREVIOUS DATE OF FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Quantity of Previous Fill (531-FV) is used.  <i>Payer Requirement:</i>
531-FV	QUANTITY OF PREVIOUS FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Previous Date Of Fill (530-FU) is used.  <i>Payer Requirement:</i>
532-FW	DATABASE INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
533-FX	OTHER PRESCRIBER INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>

### 1.2.3 CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

#### CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.  <i>Payer Requirement:</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.  <i>Payer Requirement:</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.  <i>Payer Requirement:</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.  <i>Payer Requirement:</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		M	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used.  <i>Payer Requirement:</i>
550-8F	HELP DESK PHONE NUMBER		M	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.  <i>Payer Requirement:</i>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

## 1.2.4 CLAIM BILLING/CLAIM REBILL ACCEPTED/CAPTURED RESPONSE

### CLAIM BILLING/CLAIM REBILL ACCEPTED/CAPTURED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Captured If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Captured
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1, B3	M	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Captured
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Captured If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Captured
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	C = Captured, Q = Duplicate of Capture	M	
503-F3	AUTHORIZATION NUMBER		M	Imp Guide: Required if needed to identify the transaction.  Payer Requirement:
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.  Payer Requirement:
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.  Payer Requirement:
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.  Payer Requirement:
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.  Payer Requirement:
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.  Payer Requirement:
549-7F	HELP DESK PHONE NUMBER QUALIFIER		M	Imp Guide: Required if Help Desk Phone Number (550-8F) is used.  Payer Requirement:
550-8F	HELP DESK PHONE NUMBER		M	Imp Guide: Required if needed to provide a support telephone number to the receiver.  Payer Requirement:

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Captured If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Captured
--	--	--	--	--

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Captured If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when DUR/PPS conditions found by Medicaid

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Captured
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	M	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.  <i>Payer Requirement:</i>
439-E4	REASON FOR SERVICE CODE		M	<i>Imp Guide:</i> Required if utilization conflict is detected.  <i>Payer Requirement:</i>
529-FT	OTHER PHARMACY INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
530-FU	PREVIOUS DATE OF FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Quantity of Previous Fill (531-FV) is used.  <i>Payer Requirement:</i>
531-FV	QUANTITY OF PREVIOUS FILL		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  Required if Previous Date Of Fill (530-FU) is used.  <i>Payer Requirement:</i>
532-FW	DATABASE INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
533-FX	OTHER PRESCRIBER INDICATOR		M	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.  <i>Payer Requirement:</i>